



Mirox MNGE | Mirox MNGE chiaro

Gamma Mirox MNGE

Specchi ecologici privi di rame e di piombo resistenti alla corrosione.

- Il processo di fabbricazione brevettato conferisce agli specchi MNGE una qualità ed una resistenza superiori ai requisiti previsti dalle norme più rigorose.
- Resistenza incomparabile alla corrosione e all'invecchiamento: con una durata tre volte superiore a quella degli specchi tradizionali.
- Elevata resistenza agli agenti aggressivi (prodotti di pulizia): 7 volte superiore a quella degli specchi tradizionali.
- L'invecchiamento non provoca difetti quali punti o effetti di velatura.
- Disponibile in versione di sicurezza MIROX SAFEmpiego: solo interno.

Mirox MNGE chiaro - Descrizione

Specchio MNGE su float Planibel chiaro.

Spessori standard: 2, 3, 4, 5 e 6 mm.

Non standard: 8 mm.

Disponibilità

D imensions	Thickness mm						
	1,9	2,1	3	4	5	6	8
321cm x	1,9	2,1	3	4	5	6	8
600	-	-	x	x	x	x	-
510	-	-	x	x	x	x	-

D imensions	Thickness mm						
488	-	-	x	x	o	o	-
450	-	-	x	x	x	x	-
255	-	-	x	x	x	x	-
244	-	-	x	x	x	x	-
240	-	-	-	-	-	-	-
225	x	o	x	x	x	x	o
215	-	-	o	o	x	o	-
200	-	-	x	x	x	x	-
185	-	-	o	o	x	o	-
x	Standard = back : green - Also produced in white (non-standard)						
o	Non-standard sizes are only available on production run. Minimum quantity is 12 or 24 To of that size / thickness / packing						

D imensions	Thickness mm						
160,5cm x	1,9	2,1	3	4	5	6	8
255	-	-	x	x	x	x	-
244	-	-	x	x	x	x	-
225	x	-	x	x	x	x	-
215	-	-	o	o	o	o	-
200	-	-	x	x	x	x	-
185	-	-	o	o	o	o	-
x	Standard = back : green - Also produced in white (non-standard)						
o	Non-standard sizes are only available on production run. Minimum quantity is 12 or 24 To of that size / thickness / packing						

D imensions	Thickness mm						
107cm x	1,9	2,1	3	4	5	6	8
255	-	-	o	o	o	o	-
244	-	-	o	x	o	o	-
225	o	-	o	o	o	o	-

D imensions	Thickness mm						
215	-	-	o	o	o	o	-
200	-	-	o	o	o	o	-
185	-	-	o	o	o	o	-
x	Standard = back : green - Also produced in white (non-standard)						
o	Non-standard sizes are only available on production run. Minimum quantity is 12 or 24 To of that size / thickness / packing						